EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|------------|------|--|---|---------------------|---------|------------------|
| L1 | 4 | 10/606565 | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2007/03/15 05:35 |
| L15 | 14 | "5640678" | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2007/03/15 07:37 |
| S1 | 2260 | (370/328).CCLS. | US-PGPUB; USPAT; USOCR | OR | OFF | 2007/03/12 13:53 |
| S2 | 458 | (370/278).CCLS. | US-PGPUB; USPAT; USOCR | OR | OFF | 2007/03/12 13:53 |
| S 3 | 1748 | (370/331).CCLS. | US-PGPUB; USPAT; USOCR | OR | OFF | 2007/03/12 13:54 |
| S4 | 56 | (370/425).CCLS. | US-PGPUB; USPAT; USOCR | OR | OFF | 2007/03/12 13:54 |
| S5 | 152 | (370/426).CCLS. | US-PGPUB; USPAT; USOCR | OR | OFF | 2007/03/12 13:54 |
| S6 | 22 | (S1 and S3) and threshold | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2007/03/12 13:54 |
| S7 | 7 | ("5218717" "5425030" "5550895" "5640678" "5751763" "5940743" "6011971").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2007/03/12 14:00 |
| S8 | 96 | (beamforming ADJ antenna) and cell | US-PGPUB; USPAT; USOCR | OR | ON | 2007/03/12 14:02 |
| S9 | 23 | ((beamforming ADJ antenna) and hand\$1over) | US-PGPUB; USPAT; USOCR | OR | ON | 2007/03/14 14:20 |
| S10 | 1 | 10/180768 | US-PGPUB; USPAT; USOCR | OR | ON | 2007/03/12 14:04 |
| S11 | 58 | ((beam\$1forming ADJ antenna) and (hand\$1over or hand\$1off)) | US-PGPUB; USPAT; USOCR | OR | ON | 2007/03/12 14:39 |

EAST Search History

| | | • | | | | |
|-----|-------|--|---|----|-----|------------------|
| S12 | 26 | S11 and threshold | US-PGPUB; USPAT; USOCR | OR | ON | 2007/03/12 14:14 |
| S13 | 5 | ((beam\$1forming ADJ antenna) and back\$1haul and up\$1link and down\$1link) | US-PGPUB; USPAT; USOCR | OR | ON | 2007/03/12 14:41 |
| S14 | 769 | (455/442).CCLS. | US-PGPUB; USPAT; USOCR | OR | OFF | 2007/03/14 14:19 |
| S15 | 2357 | (455/436).CCLS. | US-PGPUB; USPAT; USOCR | OR | OFF | 2007/03/14 14:19 |
| S16 | 790 | ((S14 or S15) and ((neighbor\$3 or adjacent) ADJ cell)) | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2007/03/14 14:23 |
| S17 | 472 | S16 and threshold | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2007/03/14 14:24 |
| S18 | 9 | S17 and (beam\$1form\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2007/03/14 14:34 |
| S19 | 836 | inter\$1connect\$5 NEAR ((base ADJ station) or (access ADJ point)) | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ÖN | 2007/03/14 14:47 |
| S20 | 293 | S19 and threshold | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2007/03/14 14:39 |
| S21 | 108 | ("4112257").URPN. | USPAT | OR | ON | 2007/03/14 14:47 |
| S22 | . 707 | (mesh SAME ((base ADJ station) or (access ADJ point))) | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2007/03/14 14:48 |
| S23 | 248 | S22 and threshold | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2007/03/14 15:10 |

EAST Search History

| | | | | | | • |
|-----|----|---|---|----|----|------------------|
| S27 | 2 | S23 and ((up\$1link or down\$1link) same (back\$1haul ADJ channel)) | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2007/03/14 15:03 |
| S28 | 2 | S23 AND (back\$1haul ADJ channel) | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2007/03/14 15:05 |
| S29 | 3 | S23 AND (uplink ADJ channel) | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2007/03/14 15:05 |
| S30 | 4 | ("5754948" "5786923" "5802173" "6049593").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2007/03/14 15:08 |
| S31 | 8 | S23 and (beam\$1form\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2007/03/14 15:10 |
| S32 | 28 | ("4718081" "4780885" "4850036" "4974224" "5007052" "5253161" "5257399" "5280288" "5355522" "5381404" "5488608" "5513183" "5541954" "5546422" "5561790" "5619493" "5737358" "5805633" "5937002" "5987011" "6023462" "6034946" "6240125" "6252861" "6260072" "6272313" "6301244" "6321271").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2007/03/14 15:16 |
| S33 | | ("20010041494" "5613211" "5848064" "6215982" "6233466" "6622019" "6711403").PN. OR ("6947768"). URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2007/03/14 15:27 |
| S34 | 34 | ("6233466").URPN. | USPAT | OR | ON | 2007/03/14 15:38 |
| S35 | 13 | S23 and (antenna ADJ array) | USPAT | OR | ON | 2007/03/14 15:38 |
| S36 | 0 | ("7116979").URPN. | USPAT | OR | ON | 2007/03/14 15:42 |

Page 3

PALM INTRANET

Day: Thursday Date: 3/15/2007

Time: 09:05:45

Inventor Name Search Result

Your Search was:

Last Name = SESHADRI First Name = NAMBIRAJAN

| Application# | Patent# | Status | Date Filed | Title | Inventor Name |
|-----------------|----------------|--------|------------|---|-------------------------|
| 07395930 | Not Issued | 166 | | GENERALIZED VITERBI DECODING ALGORITHMS | SESHADRI, NAMBIRAJAN |
| 07542458 | 5263033 | 150 | 06/22/1990 | JOINT DATA AND CHANNEL ESTIMATION USING FAST BLIND TRELLIS SEARCH | SESHADRI, NAMBIRAJAN |
| 07763002 | Not Issued | 166 | 09/20/1991 | TWO-DIMENSIONAL DISPLAY MODEL-BASED HALFTONING | SESHADRI, NAMBIRAJAN |
| 07785673 | 5309526 | 150 | 10/31/1991 | IMAGE PROCESSING SYSTEM | SESHADRI, NAMBIRAJAN |
| 07785723 | 5544328 | 150 | 10/31/1991 | CODED MODULATION WITH UNEQUAL ERROR PROTECTION | SESHADRI, NAMBIRAJAN |
| 07786164 | 5305352 | 150 | 10/31/1991 | CODED MODULATION WITH UNEQUAL ERROR PROTECTION | SESHADRI, NAMBIRAJAN |
| 07797831 | <u>5289501</u> | 150 | 11/26/1991 | CODED MODULATION WITH UNEQUAL ERROR PROTECTION FOR FADING CHANNELS | SESHADRI, NAMBIRAJAN |
| <u>07816510</u> | Not Issued | 166 | 12/31/1991 | ADAPTIVE SEQUENCE ESTIMATION FOR DIGITAL CELLULAR RADIO CHANNELS | SESHADRI, NAMBIRAJAN |
| 07850239 | 5208816 | 150 | 03/11/1992 | GENERALIZED VITERBI DECODING ALGORITHMS | SESHADRI, NAMBIRAJAN |
| 07860830 | 5479448 | 150 | 03/31/1992 | METHOD AND APPARATUS FOR PROVIDING ANTENNA DIVERSITY | SESHADRI, NAMBIRAJAN |
| 07978301 | Not Issued | 166 | 11/17/1992 | TWO-DIMENSIONAL, DISPLAY MODEL-BASED HALFTONING | SESHADRI, NAMBIRAJAN |
| 08016414 | Not | 166 | 02/11/1993 | DISPLAY MODEL-BASED | SESHADRI, |

| | Issued | | | HALFTONING | NAMBIRAJAN . |
|----------|---------------|-----|------------|--|-------------------------|
| 08055937 | Not Issued | 166 | 04/30/1993 | TWO-DIMENSIONAL, DISPLAY MODEL-BASED HALFTONING | SESHADRI, NAMBIRAJAN |
| 08065296 | 5457704 | 150 | 05/21/1993 | POST PROCESSING METHOD AND APPARATUS FOR SYMBOL RELIABILITY GENERATION | SESHADRI, NAMBIRAJAN |
| 08092623 | 5463641 | 150 | E1 1 | TAILORED ERROR PROTECTION | SESHADRI, NAMBIRAJAN |
| 08157778 | 5420851 | 150 | 11/24/1993 | METHOD OF MULTIPLE ACCESS | SESHADRI, NAMBIRAJAN |
| 08235577 | Not Issued | 166 | 04/29/1994 | METHODS OF AND DEVICES FOR ENHANCING COMMUNICATIONS THAT USE SPREAD SPECTRUM TECHNOLOGY BY USING VARIABLE POWER TECHNIQUES | SESHADRI, NAMBIRAJAN |
| 08235752 | 5546420 | 150 | 04/29/1994 | METHODS OF AND DEVICES FOR ENHANCING COMMUNICATIONS THAT USE SPREAD SPECTRUM TECHNOLOGY BY USING VARIABLE CODE TECHNIQUES | SESHADRI, NAMBIRAJAN |
| 08236601 | 5550859 | 150 | 04/29/1994 | RECOVERING ANALOG AND DIGITAL SIGNALS FROM SUPERIMPOSED ANALOG AND DIGITAL SIGNALS USING LINEAR PREDICTION | SESHADRI, NAMBIRAJAN |
| 08236744 | 5751739 | 150 | 04/29/1994 | METHODS OF AND DEVICES FOR ENHANCING COMMUNICATIONS THAT USE SPREAD SPECTRUM TECHNOLOGY | SESHADRI, NAMBIRAJAN |
| 08381630 | 5606464 | 150 | 01/31/1995 | CANCELLATION OF PRECURSOR INTERSYMBOL INTERFERENCE IN MAGNETIC RECORDING CHANNELS | SESHADRI, NAMBIRAJAN |
| 08398400 | Not Issued | 166 | 03/03/1995 | EQUALIZATION AND DECODING FOR DIGITAL COMMUNICATION CHANNEL | SESHADRI, NAMBIRAJAN |

| 08409474 | 5469268 | 150 | 03/22/1995 | DISPLAY MODEL-BASED ERROR CRITERION HALFTONING | SESHADRI, NAMBIRAJAN |
|----------|---------|-----|------------|---|-------------------------|
| 08427030 | 5912932 | | 04/24/1995 | APPARATUS AND METHODS FOR DECODING A COMMUNICATION SIGNAL | SESHADRI, NAMBIRAJAN |
| 08453855 | 5661718 | 150 | 05/30/1995 | SIMULTANEOUS ANALOG AND DIGITAL COMMUICATION | SESHADRI, NAMBIRAJAN |
| 08560428 | 5774504 | 150 | 11/17/1995 | EQUALIZATION AND DECODING FOR DIGITAL COMMUNICATION CHANNEL | SESHADRI, NAMBIRAJAN |
| 08572276 | 5889823 | 150 | 12/13/1995 | METHOD AND APPARATUS FOR COMPENSATION OF LINEAR OR NONLINEAR INTERSYMBOL INTERFERENCE AND NOISE CORRELATION IN MAGNETIC RECORDING CHANNELS | SESHADRI, NAMBIRAJAN |
| 08580218 | 5862192 | 150 | 12/28/1995 | METHODS AND APPARATUS FOR EQUALIZATION AND DECODING OF DIGITAL COMMUNICATIONS CHANNELS USING ANTENNA DIVERSITY | SESHADRI, NAMBIRAJAN |
| 08665598 | 5862156 | 150 | | EQUALIZATION AND DECODING FOR DIGITAL COMMUNICATION CHANNEL | SESHADRI, NAMBIRAJAN |
| 08722416 | 5778336 | 150 | 10/01/1996 | SPEECH CODING AND JOINT DATA/CHANNEL BIAS ESTIMATION USING FINITE STATE VECTOR QUANTIZER DERIVED FROM SEQUENTIAL CONSTRAINTS | NAMBIRAJAN |
| 08815284 | 5799013 | 150 | 03/11/1997 | METHODS AND DEVICES FOR ENHANCING COMMUNICATIONS THAT USE SPREAD SPECTRUM TECHNOLOGY BY USING VARIABLE POWER TECHNIQUES | SESHADRI, NAMBIRAJAN |
| 08847635 | 6115427 | 150 | 04/25/1997 | METHOD AND APPARATUS FOR DATA TRANSMISSION | SESHADRI, NAMBIRAJAN |

| | | | | USING MULTIPLE | |
|----------|---------------|-----|------------|--|-------------------------|
| | | | | TRANSMIT ANTENNAS | |
| 09107784 | 6775652 | 150 | 06/30/1998 | SPEECH RECOGNITION OVER LOSSY TRANSMISSION SYSTEMS | SESHADRI, NAMBIRAJAN |
| 09129774 | 6044073 | 150 | 08/06/1998 | METHODS OF AND DEVICES FOR ENHANCING COMMUNICATIONS THAT USE SPREAD SPECTRUM TECHNOLOGY BY USING VARIABLE POWER TECHNIQUES | SESHADRI, NAMBIRAJAN |
| 09149163 | 6178196 | 150 | 09/04/1998 | COMBINED INTERFERENCE CANCELLATION AND MAXIMUM LIKELIHOOD DECODING OF SPACE-TIME BLOCK CODES | SESHADRI, NAMBIRAJAN |
| 09186907 | 6088408 | 150 | 11/06/1998 | DECODING FOR GENERALIZED ORTHOGONAL DESIGNS FOR SPACE-TIME CODES FOR WIRELESS COMMUNICATION | SESHADRI, NAMBIRAJAN |
| 09186908 | 6430231 | 150 | 11/06/1998 | GENERALIZED ORTHOGONAL DESIGNS FOR SPACE-TIME CODES FOR WIRELESS COMMUNICATION | SESHADRI, NAMBIRAJAN |
| 09212324 | 6249808 | 150 | 12/15/1998 | WIRELESS DELIVERY OF MESSAGE USING COMBINATION OF TEXT AND VOICE | SESHADRI, NAMBIRAJAN |
| 09213585 | 6618454 | 150 | 12/17/1998 | DIVERSITY CODED OFDM FOR HIGH DATA-RATE COMMUNICATION | SESHADRI, NAMBIRAJAN |
| 09215074 | 6473393 | 150 | 12/18/1998 | CHANNEL ESTIMATION FOR OFDM SYSTEMS WITH TRANSMITTER DIVERSITY | SESHADRI, NAMBIRAJAN |
| 09300494 | Not Issued | 93 | 04/28/1999 | COMBINED CHANNEL CODING AND SPACE-TIME BLOCK CODING IN A MULTI-ANTENNA ARRANGEMENT | SESHADRI, NAMBIRAJAN |
| 09409534 | 6584593 | 150 | 09/30/1999 | CONCATENATION OF TURBO-TCM WITH SPACE- BLOCK CODING | SESHADRI, NAMBIRAJAN |
| | | | | ll . | II |

| <u>09532149</u> | <u>6661856</u> | 150 | 03/21/2000 | DECODING FOR GENERALIZED ORTHOGONAL DESIGN FOR SPACE-TIME CODES FOR WIRELESS COMMUNICATION | SESHADRI, NAMBIRAJAN |
|-----------------|----------------|-----|------------|--|-------------------------|
| 09545791 | 6889355 | 150 | | METHOD AND APPARATUS FOR DATA TRANSMISSION USING MULTIPLE TRANSMIT ANTENNAS | SESHADRI, NAMBIRAJAN |
| <u>09767019</u> | 6549585 | 150 | | | SESHADRI, NAMBIRAJAN |
| 09985886 | 7065148 | 150 | 11/06/2001 | SUPER-ORTHOGONAL SPACE-TIME TRELLIS CODES, AND APPLICATIONS THEREOF | SESHADRI, NAMBIRAJAN |
| 10370187 | Not Issued | 160 | 02/19/2003 | Diversity coded OFDM for high data-rate communication | SESHADRI, NAMBIRAJAN |
| 10606565 | Not Issued | 30 | 06/26/2003 | System and method for providing a mesh network using a plurality of wireless access points (WAPs) | NAMBIRAJAN |
| 10658161 | Not Issued | 30 | 09/09/2003 | System and method for providing a super channel in a multi-band multi-protocol hybrid wired/wireless network | SESHADRI, NAMBIRAJAN |
| 10658727 | Not Issued | 30 | 09/09/2003 | System and method for providing a wireless access point (WAP) having multiple integrated transceivers for use in a hybrid wired/wireless network | SESHADRI, NAMBIRAJAN |

Search and Display More Records.

| | Last Name | First Name | |
|--------------------------|-----------|---------------|-------|
| Search Another: Inventor | SESHADRI | NAMBIRAJAN Se | earch |

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page



PALM INTRANET

Day: Thursday Date: 3/15/2007

Time: 09:05:33

Inventor Name Search Result

Your Search was:

Last Name = KARAOGUZ First Name = JEYHAN

| Application# | Patent# | Status | Date Filed | Title | Inventor Name |
|--------------|---------------|--------|------------|--|--------------------------|
| 08259850 | 5539774 | 150 | 06/15/1994 | DUAL DECISION EQUALIZATION METHOD AND DEVICE | KARAOGUZ, JEYHAN |
| 08633253 | 5692011 | 250 | 04/18/1996 | A DUAL DECISION EQUALIZATION APPARATUS | KARAOGUZ, JEYHAN · |
| 09499209 | 6438109 | 150 | 02/07/2000 | METHOD TO ESTABLISH A HOME NETWORK ON MULTIPLE PHYSICAL LAYERS | KARAOGUZ, JEYHAN |
| 09866546 | 7114010 | 150 | 05/25/2001 | MULTI-MODE CONTROLLER | KARAOGUZ, JEYHAN |
| 09872645 | Not Issued | 41 | 06/01/2001 | Trellis coded modulation tails | KARAOGUZ, JEYHAN |
| 09949989 | 7079599 | 150 | 09/10/2001 | MULTI-MODE QUADRATURE AMPLITUDE MODULATION RECEIVER FOR HIGH RATE WIRELESS PERSONAL AREA NETWORKS | KARAOGUZ, JEYHAN |
| 10263215 | Not Issued | 93 | 10/02/2002 | OPTIMAL TRELLIS CODE DESIGN FOR QPSK AND HIGHER ORDER QUADRATURE AMPLITUDE MODULATIONS | KARAOGUZ, JEYHAN |
| 10277787 | Not Issued | 41 | | Power management of radio transceiver elements | KARAOGUZ, JEYHAN |
| 10284971 | Not Issued | 71 | | Method for selective power management for a hand held host | KARAOGUZ, JEYHAN |
| 10285005 | Not Issued | 71 | 10/31/2002 | Device for selective power management for a hand held host | KARAOGUZ, JEYHAN |
| | | | | | |

| 10301918 | Not Issued | 121 | | Software applications incorporating functionalities based on data-type and access | KARAOGUZ, JEYHAN |
|-----------------|---------------|-----|------------|--|---------------------|
| 10314279 | Not Issued | 41 | 12/09/2002 | Using signal-generated location information to identify and authenticate available devices | KARAOGUZ, JEYHAN |
| 10314287 | Not Issued | 41 | 12/09/2002 | Using signal-generated location information to identify and list available devices | KARAOGUZ, JEYHAN |
| 10314292 | Not Issued | 71 | 12/09/2002 | Using location information to control transmission signal levels of wireless devices | KARAOGUZ, JEYHAN |
| 10314306 | Not Issued | 41 | 12/09/2002 | Method of determining optimal cell configuration based upon determined device location | KARAOGUZ, JEYHAN |
| 10314311 | 6885859 | 150 | | APPARATUS FOR CONTROLLING AND MONITORING A WIRELESS HOTSPOT THROUGH AN INTERFACE WITH A CELLULAR TELEPHONE NETWORK | KARAOGUZ, JEYHAN |
| 10315145 | 6795700 | 150 | 12/10/2002 | METHOD OF CREATING INCENTIVES FOR ESTABLISHING HOTSPOT LOCATIONS | KARAOGUZ, JEYHAN |
| <u>10315186</u> | 6862444 | 150 | 12/10/2002 | BILLING CONTROL METHODS IN WIRELESS HOT SPOTS | KARAOGUZ, JEYHAN |
| 10315187 | Not Issued | 120 | 12/10/2002 | Advertising and controlling the advertisement of wireless hot spots | KARAOGUZ, JEYHAN |
| 10317082 | 7046989 | 150 | 12/12/2002 | CONTROLLING AND ENHANCING HANDOFF BETWEEN WIRELESS ACCESS POINTS | KARAOGUZ, JEYHAN |
| 10327079 | Not Issued | 83 | 12/24/2002 | Enabling and controlling access to wireless hot spots | KARAOGUZ, JEYHAN |
| 10327117 | Not Issued | 71 | 12/24/2002 | Network or access point handoff based upon historical pathway | KARAOGUZ, JEYHAN |
| 10348894 | Not Issued | 61 | 01/23/2003 | Optimizing network configuration from established usage patterns of access points | KARAOGUZ, JEYHAN |
| 10606503 | Not Issued | 30 | 06/26/2003 | Communication system and method for discovering endpoints that utilize a link layer | KARAOGUZ, JEYHAN |

| Ú. | | | | | |
|-----------------|---------------|----|------------|--|---------------------|
| | | | 1 | connection in a wired/wireless local area network | M1 |
| 10606565 | Not Issued | 30 | | System and method for providing a mesh network using a plurality of wireless access points (WAPs) | KARAOGUZ, JEYHAN |
| 10657390 | Not Issued | 41 | II I | Personal inter-home media exchange network | KARAOGUZ, JEYHAN |
| 10658161 | Not Issued | 30 | 09/09/2003 | System and method for providing a super channel in a multi-band multi-protocol hybrid wired/wireless network | KARAOGUZ, JEYHAN |
| 10658727 | Not Issued | 30 | | System and method for providing a wireless access point (WAP) having multiple integrated transceivers for use in a hybrid wired/wireless network | KARAOGUZ, JEYHAN |
| 10660267 | Not Issued | 41 | 09/11/2003 | Personal access and control of media peripherals on a media exchange network | KARAOGUZ, JEYHAN |
| <u>10667036</u> | Not Issued | 83 | 09/22/2003 | Billing support in a media exchange network | KARAOGUZ, JEYHAN |
| 10667829 | Not Issued | 30 | 09/22/2003 | Media processing system supporting user captured media display sequencing when in idle state | KARAOGUZ, JEYHAN |
| 10667833 | Not Issued | 30 | 09/22/2003 | Media exchange network supporting consumption of broadcast and user captured media | KARAOGUZ, JEYHAN |
| 10667857 | Not Issued | 41 | 09/22/2003 | Media search engine for a personal media network | KARAOGUZ, JEYHAN |
| 10667866 | Not Issued | 41 | 09/22/2003 | Common media consumption across multiple media processing systems via single user control | KARAOGUZ, JEYHAN |
| 10668527 | Not Issued | 30 | 09/23/2003 | Position based WPAN (Wireless Personal Area Network) management | KARAOGUZ, JEYHAN |
| 10668648 | Not Issued | 30 | 09/23/2003 | UWB (Ultra Wide Band) waveform design to minimize narrowband interference | KARAOGUZ, JEYHAN |
| 10668653 | Not Issued | 30 | 09/23/2003 | Providing link quality intelligence from physical layer to higher protocol layers | KARAOGUZ, JEYHAN |
| | | | | | |

| 10672251 | Not Issued | 41 | 09/26/2003 | Media processing system supporting automated personal channel construction based on user profile and pre-selection | KARAOGUZ, JEYHAN |
|----------|---------------|-----|------------|--|---------------------|
| 10672253 | Not Issued | 30 | 09/26/2003 | Media exchange network supporting varying media guide based on viewing filters | KARAOGUZ, JEYHAN |
| 10672321 | 7088238 | 150 | 09/26/2003 | ACCESS, MONITORING, AND CONTROL OF APPLIANCES VIA A MEDIA PROCESSING SYSTEM | KARAOGUZ, JEYHAN |
| 10672601 | Not Issued | 30 | | Automatic access and control of media peripherals on a media exchange network | KARAOGUZ, JEYHAN |
| 10672648 | Not Issued | 30 | 09/26/2003 | Third-party access and control of media peripherals on a media exchange network | KARAOGUZ, JEYHAN |
| 10672653 | Not Issued | 30 | 09/26/2003 | Card-based and independent server-based billing and authorization system in a media exchange network | KARAOGUZ, JEYHAN |
| 10672654 | Not Issued | 30 | 09/26/2003 | Media exchange network having media processing systems and personal computers with common user interfaces | KARAOGUZ, JEYHAN |
| 10672664 | Not Issued | 30 | 09/26/2003 | Media exchange network supporting delivery of media content to authorized vehicles via media processing system | KARAOGUZ, JEYHAN |
| 10672737 | Not Issued | 41 | 09/26/2003 | Preventing a non-head end based service provider from sending media to a media processing system | KARAOGUZ, JEYHAN |
| 10672852 | Not Issued | 71 | 09/26/2003 | Purchasing peripheral support in a media exchange network | KARAOGUZ, JEYHAN |
| 10672864 | Not Issued | 41 | 09/26/2003 | Remote management of TV viewing options in a media exchange network | KARAOGUZ, JEYHAN |
| 10672907 | Not Issued | 120 | 09/26/2003 | Theft prevention of media peripherals in a media exchange network | KARAOGUZ, JEYHAN |
| 10674671 | Not Issued | 30 | 09/30/2003 | Media processing system based on satellite set top box platform with telephony downstream and upstream data paths | KARAOGUZ, JEYHAN |

Search and Display More Records.

| | • | | | *************************************** |
|-----------------|-----|----------|------------|---|
| Saarah Amathan | | ast Name | First Name | |
| Search Another: | ĮK. | ARAOGUZ | JEYHAN | Search |

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page